

SUPER PRESETTER

This is an inexpensive hand-loaded hot or cold presetter, or fatigue cycler. It has no force measuring capability, but is pneumatically powered for minimum operator fatigue. Preset or cycle parts up to 500 lb and up to 4" Ø.

Hand loaded preset rates can be up to 2,000 / hour.

As a fatigue cycler, the Super Presetter can be set to cycle at rates of up to 3,000 / hour. It can be programmed to shut off at a predetermined number of cycles.

Standard Features:



- Hot or cold presetting
- 100, 200 and 500 lb capacity
- Hand loaded presetting up to 2,000 / hour
- Fatigue Cycle rates up to 3,000 / hour

Force Specifications
40 - 100 lbs (20 - 45 kg)
100 - 250 lbs (45 - 110 kg)
250 - 500 lbs (110 - 225 kg)

Length Specifications
Standard Range 9"
Optional Max Range 12"
Stroke 5"

Power Requirements
120 / 240 VAC, 50 or 60 Hz

Air Supply
80 - 120 psi (5.5 - 8.25 bar)



Larson Systems Inc.
 10073 Baltimore Street NE
 Minneapolis, MN 55449-4425

763-780-2131
 877-780-2131
 763-780-2182 (Fax)

info@larsonsystems.com
 www.larsonsystems.com



060-6000-0071-22A